

[illegible]

```

        switchon Ch into
§31
        case 'e':
65            NextCh[]
                if Wrong['f a u l t'] do
                    § Error[56, HARD, 'd', Delete, CAT_v]
                    Send[ERROR, 0]
                    return
70            §
                MSCRt []
                Send[DEFAULT, 0]
                return

75            case 'o':
                NextCh[]
                Send[D0, 0]
                return

80            default:Error[56, HARD, 'd', Delete, CAT_v]
                Send[ERROR, 0]
§31
§30

85
and P_229[] be                                     || Ch is 'e'
§40
    NextCh[]
    switchon Ch into
90    §41
        case 'l':
            NextCh[]
            if Wrong['s e'] do
                § Error[56, HARD, 'e', Delete, CAT_v]
95                Send[ERROR, 0]
                return

            §
            Send[ELSE, 0]
            return
100
        case 'n':
            NextCh[]
            if Wrong['d c a s e'] do
                § Error[56, HARD, 'e', Delete, CAT_v]
105                Send[ERROR, 0]
                return

            §
            MSCRt []
            Send[ENDCASE, 0]
110            return

            default:Error[56, HARD, 'e', Delete, CAT_v]
                Send[ERROR, 0]
§41
115 §40

        and P_230[] be                                     || Ch is 'f'
§50
120    NextCh[]
        switchon Ch into
        §51
            case 'a':
                NextCh[]
125                if Wrong['l s e'] do
                    § Error[56, HARD, 'f', Delete, CAT_v]

```

```

        Send[ERROR, 0]
        return
$
130      Send[FALSE, 0]
        return

    case 'o':
        NextCh[]
135      if Wrong['r'] do
        § Error[56, HARD, 'f', Delete, CAT_v]
        Send[ERROR, 0]
        return

        $
140      MSCRt[]
        Send[FOR, 0]
        return

    default:Error[56, HARD, 'f', Delete, CAT_v]
145      Send[ERROR, 0]

$51
$50

150 and P_231[] be                                || Ch is 'g'
    §60
    NextCh[]
    switchon Ch into
    §61
155      case 'e':
        NextCh[]
        if Wrong['t'] do
        § Error[56, HARD, 'g', Delete, CAT_v]
        Send[ERROR, 0]
160      return

        $
        GetRt[]
        return

165      case 'l':
        NextCh[]
        if Wrong['o b a l'] do
        § Error[56, HARD, 'g', Delete, CAT_v]
        Send[ERROR, 0]
170      return

        $
        Send[GLOBAL, 0]
        return

175      case 'o':
        NextCh[]
        if Wrong['t o'] do
        § Error[56, HARD, 'g', Delete, CAT_v]
        Send[ERROR, 0]
180      return

        $
        MSCRt[]
        Send[GOTO, 0]
        return

185      default:Error[56, HARD, 'g', Delete, CAT_v]
        Send[ERROR, 0]

$61
$60
190

```

```

and P_233[] be                                     || Ch is 'i'
§70
    NextCh[]
195    switchon Ch into
    §71
        case 'f':
            NextCh[]
            switchon Ch into
200            §711
                case 'n':
                    NextCh[]
                    if Wrong['o t'] do
205                    §    Error[56, HARD, 'i', Delete, CAT_v]
                        Send[ERROR, 0]
                        return
                    $
                    Send[IFNOT, 0]
                    return
210                case 's':
                    NextCh[]
                    if Wrong['o'] do
215                    §    Error[56, HARD, 'i', Delete, CAT_v]
                        Send[ERROR, 0]
                        return
                    $
                    Send[IFS0, 0]
                    return
220                default:MSCRt[]
                    Send[IF, 0]
                    return
                §711
                return
225            case 'n':
                NextCh[]
                if Wrong['t o'] do
230                §    Error[56, HARD, 'i', Delete, CAT_v]
                    Send[ERROR, 0]
                    return
                $
                Send[INT0, 0]
235                return
            case 's':
                NextCh[]
                Send[IS, 0]
240                return
            default>Error[56, HARD, 'i', Delete, CAT_v]
                Send[ERROR, 0]
    §71
245 §70

and P_236[] be                                     || Ch is 'l'
§80
250    NextCh[]
    switchon Ch into
    §81
        case 'e':
            NextCh[]
255            if Wrong['t'] do
                §    Error[56, HARD, 'l', Delete, CAT_v]

```

```

                Send[ERROR, 0]
                return
$
260        Send[LET, 0]
        return

        case 'o':
                NextCh[]
265        if Wrong['o p'] do
                § Error[56, HARD, 'l', Delete, CAT_v]
                Send[ERROR, 0]
                return

                $
270        MSCRt []
                Send[LOOP, 0]
                return

        case 's':
275        NextCh[]
                if Wrong['h i f t'] do
                § Error[56, HARD, 'l', Delete, CAT_v]
                Send[ERROR, 0]
                return

280        $
                Send[LSHIFT, 0]
                return

        case 'v':
285        NextCh[]
                Send[LV, 0]
                return

        default:Error[56, HARD, 'l', Delete, CAT_v]
290        Send[ERROR, 0]

$81
$80

295 and P_237[] be                                || Ch is 'm'
    §90
        NextCh[]
        if Wrong['a n i f e s t'] do
        § Error[56, HARD, 'm', Delete, CAT_v]
300        Send[ERROR, 0]
        return

        $
        Send[MANIFEST, 0]
    §90
305

    and P_239[] be                                || Ch is 'o'
    §100
        NextCh[]
310        if Wrong['r'] do
        § Error[56, HARD, 'o', Delete, CAT_v]
        Send[ERROR, 0]
        return

        $
315        Send[OR, 0]
    §100

    and P_242[] be                                || Ch is 'r'
320 §110
        NextCh[]

```

```

switchon Ch into
§1111
    case 'e':
325         NextCh[]
            switchon Ch into
            §1111
                case 'm':
                    NextCh[]
330                     Send[REM, 0]
                        return

                case 'p':
                    NextCh[]
335                     if Wrong['e a t'] do
                        § Error[56, HARD, 'r', Delete, CAT_v]
                            Send[ERROR, 0]
                                return

                    §
340                     switchon Ch into
                        §11111
                            case 'u':
                                NextCh[]
                                if Wrong['n t i l'] do
345                                    § Error[56, HARD, 'r', Delete,
                                        CAT_v]
                                        Send[ERROR, 0]
                                            return

                                §
350                                Send[REPEATUNTIL, 0]
                                    return

                            case 'w':
                                NextCh[]
355                                if Wrong['h i l e'] do
                                    § Error[56, HARD, 'r', Delete,
                                        CAT_v]
                                        Send[ERROR, 0]
                                            return

                                §
360                                Send[REPEATWHILE, 0]
                                    return

                            default: Send[REPEAT, 0]
                                return
365
                        §11111
                            return

    case 's':
370         NextCh[]
            if Wrong['u l t i s'] do
                § Error[56, HARD, 'r', Delete, CAT_v]
                    Send[ERROR, 0]
                        return
375
            §
            MSCRt[]
            Send[RESULTIS, 0]
                return

    case 't':
380         NextCh[]
            if Wrong['u r n'] do
                § Error[56, HARD, 'r', Delete, CAT_v]
                    Send[ERROR, 0]
                        return
385
            §

```

```

MSCRt[]
Send[RETURN, 0]
return
390
    default:Error[56, HARD, 'r', Delete, CAT_v]
    Send[ERROR, 0]
    §1111
    return
395
case 's':
    NextCh[]
    if Wrong['h i f t'] do
    §    Error[56, HARD, 'r', Delete, CAT_v]
400    Send[ERROR, 0]
    return
    §
    Send[RSHIFT, 0]
    return
405
case 'v':
    NextCh[]
    Send[RV, 0]
    return
410
    default:Error[56, HARD, 'r', Delete, CAT_v]
    Send[ERROR, 0]
    §111
    §110
415
and P_243[] be || Ch is 's'
§120
    NextCh[]
420    switchon Ch into
    §121
    case 't':
    NextCh[]
    if Wrong['a t i c'] do
425    §    Error[56, HARD, 's', Delete, CAT_v]
    Send[ERROR, 0]
    return
    §
    Send[STATIC, 0]
430    return
    case 'w':
    NextCh[]
    if Wrong['i t c h o n'] do
435    §    Error[56, HARD, 's', Delete, CAT_v]
    Send[ERROR, 0]
    return
    §
    MSCRt[]
440    Send[SWITCHON, 0]
    return
    default:Error[56, HARD, 's', Delete, CAT_v]
    Send[ERROR, 0]
445    §121
    §120
and P_244[] be || Ch is 't'
450 §130
    NextCh[]

```

```

switchon Ch into
§131
    case 'a':
455         NextCh[]
            if Wrong['b l e'] do
                § Error[56, HARD, 't', Delete, CAT_v]
                Send[ERROR, 0]
                return
460         §
            Send[TABLE, 0]
            return

    case 'e':
465         NextCh[]
            if Wrong['s t'] do
                § Error[56, HARD, 't', Delete, CAT_v]
                Send[ERROR, 0]
                return
470         §
            MSCrt[]
            Send[TEST, 0]
            return

475         case 'h':
            NextCh[]
            if Wrong['e n'] do
                § Error[56, HARD, 't', Delete, CAT_v]
                Send[ERROR, 0]
480                 return
                §
                Send[THEN, 0]
                return

485         case 'o':
            NextCh[]
            Send[T0, 0]
            return

490         case 'r':
            NextCh[]
            if Wrong['u e'] do
                § Error[56, HARD, 't', Delete, CAT_v]
                Send[ERROR, 0]
495                 return
                §
                Send[TRUE, 0]
                return

500         default:Error[56, HARD, 't', Delete, CAT_v]
                Send[ERROR, 0]
§131
§130

505 and P_245[] be || Ch is 'u'
§140
    NextCh[]
    if Wrong['n'] do
510     § Error[56, HARD, 'u', Delete, CAT_v]
        Send[ERROR, 0]
        return
    §
    switchon Ch into
515     §141
        case 'l':

```



```

NextCh[]
if Wrong['e s s'] do
520 § Error[56, HARD, 'u', Delete, CAT_v]
Send[ERROR, 0]
return
§
MSCRt []
Send[UNLESS, 0]
525 return

case 't':
NextCh[]
if Wrong['i l'] do
530 § Error[56, HARD, 'u', Delete, CAT_v]
Send[ERROR, 0]
return
§
MSCRt []
535 Send[UNTIL, 0]
return

default:Error[56, HARD, 'u', Delete, CAT_v]
Send[ERROR, 0]
540 §141
§140

and P_246[] be || Ch is 'v'
545 §150
NextCh[]
switchon Ch into
§151
case 'a':
550 NextCh[]
if Wrong['l o f'] do
§ Error[56, HARD, 'v', Delete, CAT_v]
Send[ERROR, 0]
return
555 §
Send[VALOF, 0]
return

case 'e':
560 NextCh[]
if Wrong['c'] do
§ Error[56, HARD, 'v', Delete, CAT_v]
Send[ERROR, 0]
return
565 §
Send[VEC, 0]
return

default:Error[56, HARD, 'v', Delete, CAT_v]
570 Send[ERROR, 0]
§151
§150

575 and P_247[] be || Ch is 'w'
§160
NextCh[]
if Wrong['h i l e'] do
§ Error[56, HARD, 'w', Delete, CAT_v]
580 Send[ERROR, 0]
return

```

```
    $  
    MSCRt []  
    Send[WHILE, 0]  
585 $160  
****
```